Author index

Ackman, R. G. 534
Adams, G. M. 552
Allen, I. D. 409
Anderle, D. 419
Aue, W. A. 432
Augustin, H. 520
Bailey, P. A. 308
Bark, L. S. 278
Bedetti, G. 53
Bell, D. J. 469
Biserte, G. 563
Blasius, E. 520, 527
Braithwaite, R. A. 303
Brocco, D. 66
Bruner, F. 139
Bush, B. 448
Campbell, D. B. 442
Cantuti, V. 66
Cartoni, G. P. 66
Casagrande, D. J. 537
Chafetz, L. 340
Churáček, J. 511
Cieri, U. R. 493
Coas, V. 239
Cohen, I. C. 215
Cozzi, D. 239
D'Agnolo, G. 53
Darbre, A. 293, 298
Derumez, P. 563
Desideri, P. G. 239
Di Corcia, A. 139
Dimitrov, Chr. 175
Dubuquoy, C. 269
Duckworth, M. 482
Duncan, G. 278
Egorov, E. V. 40
Ernst, G. F. 325
Everaerts, F. M. 262
Fenyo, J. C. 269
Fogg, A. G. 567
Frère, J. M. 425
Fritz, D. 57
Fuchs, P. 70
Giannetta, F. 573
Glasl, H. 488
Gnocchi, A. 46
Goretti, G. 57
Graham Smith, Jr., J. 308
Gray, A. 567
Gusmini, S. 269
Gvosdovich, T. N. 36
Hailey, A. D. M. 180, 187
Haken, J. K. 409
Hammar, C.-G. 402
Hamroll, B. 205
Holmstedt, B. 402
Horowitz, M. I. 455
Humphryes, K. C. 503
Hušková, M. 511
Islam, A. 293
Jashin, Ja. I. 36
Jones, H. A. 558
Jones, T. E. L. 448
Jumar, A. 329
King, J. W. 161
Kiselev, A. V. 84
Kitz, R. 402
Kostka, K. 249
Kouznetsov, A. V. 21
Kováč, P. 419
Lederer, M. 573
Lepri, L. 239
Liberti, A. 18, 57
Ligny, C. L. de 393
Longo, R. 130
Makarova, S. B. 40
Mandel, P. 255
Matsuo, I. 308
Matsuo, M. 323
Melzacka, M. 541
Miller, J. N. 567
Mori, S. 230
Moseman, R. F. 432
Neskovic, N. M. 255
Nickless, G. 180, 187
Norcup, J. 215
Nussbaum, J. L. 255
Otter, G. E. 462
Pechová, H. 511
Penner, M. H. 340
Petsev, N. 175
Pfenninger, E. 558
Pocchiari, F. 53
Pohl, P. 488
Popplewell, J. A. 462
Poshkus, D. P. 146
Přistoupil, T. I. 550
Quinney, P. R. 161
Reiss, J. 301
Říha, J. 511
Rosett, Th. 308
Różyło, J. K. 313
Rücker, G. 317
Ruzicka, J. H. A. 215
Saini, A. S. 349
Sakodynsky, K. 2, 76
Sallee, T. L. 552
Santini, G. 560
Sazonov, M. L. 153
Schulte, K. E. 317
Schuring, F. 325
Scott, R. W. 473
Selegny, E. 269
Shcherbakova, K.D. 21
Shellard, E. J. 541
Sinclair, H. B. 543
Sleeter, R. T. 543
Slomiany, B. L. 455

Smith, D. B. 308
Smith, L. L. 555
Spengler, D. 205, 329
Strömberg, L. E. 334
Surakiat, S. 308
Takeuchi, T. 230
Talukder, M. Q.-K. 469
Taramasso, M. 27, 70
Taylor, L. 462
Teuwissen, B. 298
Thorburn Burns, D. 448, 567
Tyihák, E. 343
Ulrich, V. 560
Ulrych, S. 545
Vacík, J. 262
Vágujfalvi, D. 343
Van Lier, J. E. 555
Verga, R. 46
Verheggen, T. P. E. M. 262
Verly, W. G. 425
Volkov, S. 76
Wagner, H. 488
Waksmundzki, A. 313
Wenzel, U. 520, 527
Whatley, J. A. 303
Wheals, B. B. 215
Widmark, G. 334
Yaphe, W. 482
Zaika, L. L. 222
Zhukhovitskii, A. A. 153
Zoccolillo, L. 18
Zuska, J. 262
Zvára, I. 290
Zvarova, T. S. 290

Subject index

Acetylene derivatives, a reagent for the determination on thin-layer plates, 317
Acids, carboxylic, see Carboxylic acids
——, fatty, see Fatty acids
Acridine, ternary mobile phases in adsorption TLC, 313
Adenine nucleotides, quantitative separation by ion-exchange chromatography on diethylaminoethyl Sephadex, 308
Aflatoxins, TLC separation on precoated silica gel plates, 301
Agar, TLC analysis of enzymic hydrolysates of, 482
Air particulates, determination of polynuclear hydrocarbons in atmospheric dust by a combination of TLC and GC, 66
——, quantitative determination of 3,4-benzopyrene in the air, 334
Alcohols, separation and identification as N,N-dimethyl-*p*-aminobenzeneazobenzoates by PC and TLC, 511
——, use of high resolution partition capillary columns in GC, 18
Alditols, partially methylated, GC of their trifluoroacetyl derivatives, 419
Amines, aromatic, separation on alginic acid and carboxymethylcellulose columns, 239
——, determination of O-methylation products of noradrenaline, 425
——, phenolic, urinary, solvent extraction and PC, 349
——, TLC of amine derivatives in the form of *β*-aminovinyl *o*-hydroxyphenyl ketones, 249
Amino acids, column chromatography on polystyrene resin using aqueous systems, 222
——, and derivatives, Dragendorff reactions for visualisation after PC and TLC separation, 343
——, GLC of, 537
——, a method of solid injection for gas chromatography, 293
——, preparation of volatile derivatives on a solid support followed by direct injection into the GC column, 298
Amino sugars, GLC of, 537
Amitriptyline, specific GC determination in human urine following therapeutic doses, 303
Androstenedione, TLC of the chromogens from the ALLEN reaction, 558
Apparatus, considerations for the design of a rotating unit for continuous production by GC and its application, 27
——, for gel ionophoresis in non-aqueous solvents, 527
Arabinose, quantitative TLC in the presence of other sugars, 469
Barbituric acid, 1-benzoyl-5,5-diethyl-, separation of the degradation products by means of vapour programmed TLC, 541
Benzene, investigation of the structure by gas adsorption chromatography, 21
3,4-Benzopyrene, quantitative determination in the air, 334
Biological material, rapid identification of low molecular weight compounds in extracts of, 402
Bithionol, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Bromchlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Caprolactam, gel permeation chromatography of the cyclic monomers and oligomers in nylon 6 and nylon 66, 230
Carbamates, herbicidal, separation and determination by reaction GC, 205
——, ——, TLC separation and detection methods, 329
——, insecticidal, electron-capture GC method for the determination as 2,4-dinitrophenyl derivatives of their phenol moieties, 215
Carbazole, ternary mobile phases in adsorption TLC, 313
Carbohydrate–protein complexes, of an enzymic and immunological nature, a method for resolving and characterising, 503
Carbohydrates, GC of partially methylated alditols as trifluoroacetyl derivatives, 419
——, quantitative chromatography of the oligosaccharides in wort, beer and brewing syrups, 462
——, quantitative recovery of sugars from silica gel thin layers, 473
——, quantitative TLC of arabinose, ribose and xylose in the presence of other sugars, 469
——, TLC analysis of enzymic hydrolysates of agar, 482
Carboxylic acids, detection on thin-layer chromatograms by their reaction with iodide–iodate and amylose, 340
Charge-transfer interactions, between carbon tetrabromide and aromatic donors, investigation by GC, 161
Chlorophenes, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of, 567
Cholesterols, epimeric 24-hydroxy-, chromatographic resolution, 555
Chromogens, from the ALLEN reaction, TLC of, 558
Ciano–thiocyanatochromates(III), paper ionophoretic investigation of the composition of a mixture of, 520
Cobalt complexes, adsorption of $Co(NH_3)_6^{3+}$ and $Co(en)_3^{3+}$ on various cation-exchange papers, 573

Column chromatography, the behaviour of some Sephadex gels in dioxane–water mixtures, 448
——, contribution of eddy diffusion and of the macroscopic mobile phase velocity profile to plate height in chromatography, 393
——, on polystyrene resin using aqueous systems, 222
Creatinine, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC or TLC, 343
Cyclic hydrocarbons, investigation of the structure by gas adsorption chromatography, 21
Cyclotrisilazanes, tris(N-alkyl)hexamethyl-, redistribution reactions of, 180
Deuterated molecules, molecular-statistical calculation of the thermodynamic characteristics for separation by adsorption, 146
Dichlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Dimethylaminoethanol, rapid identification of low molecular weight compounds in extracts of biological material, 402
Displacement electrophoresis, experiments with counterflow of electrolyte, 262
DNA, micro-method for the determination of the nucleotide composition of, 563
Drugs, GC measurement of levels of fenfluramine and norfenfluramine in human plasma, red cells and urine following therapeutic doses, 442
——, specific gas chromatographic determination of amitriptyline in human urine following therapeutic doses, 303
Electrophoresis, displacement, experiments with counterflow of electrolyte, 262
Esters, aliphatic, influence of stationary phase polarity on GC retention of, 409
Fatty acids, from glyco- and phospholipids, quantitative determination, 488
Fenfluramine, GC measurement in human plasma, red cells and urine following therapeutic doses, 442
Fenticlor, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Fluoranthene, ternary mobile phases in adsorption TLC, 313
Fluorinated compounds, GC on porous polymers, 36
Galactolipids, TLC separation of animal lipid mixtures, 255
Gas chromatography, capacity of laboratory-scale preparative chromatography columns in, 76
——, considerations for the desigh of a rotating unit for continuous production by GC and its application, 27
——, contribution of eddy diffusion and of the macroscopic mobile phase velocity profile to plate height in chromatography, 393
——, effect of terminal "groups" on GLC retention times of long-chain compounds, 534
——, investigation of charge-transfer interactions between carbon tetrabromide and aromatic donors, 161
——, a method of solid injection, 293
——, new techniques in, 153
——, preparation of volatile derivatives of amino acids on a solid support followed by direct injection into the column, 298
——, problems of molecular adsorption chromatography, 84
——, sandwiched columns in, 57
——, study of the polarity of some stationary phases, 175
——, use of high resolution partition capillary columns in, 18
——, use of organic complexes of the clay minerals in, 70
Gas–solid chromatography, use of high efficiency packed columns for, 139
Gels, properties of and use in chromatography, 40
Glucitols, mono-O-methyl-per-O-TFA-D-, separation by GC of their trifluoroacetyl derivatives, 419
Glucosinolates, new TLC solvent systems for, 323
Glycolipids, in animal lipid mixtures, TLC separation of, 255
——, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, 488
Glycolysis intermediates, anion-exchange chromatography of, 53
Herbicides, carbamate and urea, separation and determination by reaction GC, 205
——, ——, TLC separation and detection methods, 329
——, novel GLC determinations of Picloram, 432
Hexachlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
4-Hexylresorcinol, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Histidine, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC and TLC, 343
Hydrocarbons, aromatic, GC separation of, 70
——, investigation of the structure by gas adsorption chromatography, 21
——, polynuclear, determination in atmospheric dust by a combination of TLC and GC, 66
——, sandwich columns in GLC, 57
Hydroxylapatite column chromatography, separation of polar lipids, 455
Inorganic ions, chromatographic process in a reversed-phase system for the separation of some metal ions by ion-association distribution, 278

——, ion-exchange PC of, 573
Inorganic substances, apparatus for gel ionophoresis in non-aqueous solvents, 527
——, paper ionophoretic investigation of the composition of a mixture of cyano—thiocyanatochromates(III), 520
——, separation of lanthanides by chromatography on ion-exchange paper in α-hydroxyisobutyrate medium, 269
——, separation of transuranium elements by GC of their chlorides, 290
Insecticides, carbamate, electron-capture GC method for the determination as 2,4-dinitrophenyl derivatives of their phenol moieties, 215
Isotopic mixtures, semi-preparative separation on high efficiency packed columns for GLC, 139
Lanthanides, separation by chromatography on ion-exchange paper in α-hydroxyisobutyrate medium, 269
——, separation by GC of their chlorides, 290
Lipids, characterisation and GC determination of active principles of biological interest in pharmaceutical products (gastric mucoprotein and thioctic acid), 46
——, one-dimensional TLC separation of serum phospholipids, 552
——, polar, separation by column chromatography on hydroxylapatite, 455
——, TLC separation of glycolipids in animal lipid mixtures, 255
——, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, 488
Liquid chromatography, problems of molecular adsorption chromatography, 84
Lysine, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC and TLC, 343
Maltosides, substituted methyl β-, TLC of, 543
Membrane chromatography, PVC, use as specific chromatographic carriers for rapid ultra-micro-analysis of proteins, 550
Metal ions, chromatographic process in a reversed-phase system for the separation by ion-association distribution, 278
Metanephrine, solvent extraction and PC of urinary phenolic amines, 349
Methyl pentenes, investigation of the structure by gas adsorption chromatography, 21
Mucoprotein, gastric, characterisation and GC determination of active principles of biological interest in pharmaceutical products, 46
Noradrenaline, determination of O-methylation products of, 425
Norfenfluramine, GC measurement in human plasma, red cells and urine following therapeutic doses, 442
Normetanephrine, determination of O-methylation products of noradrenaline, 425
Norparanephrine, determination of O-methylation products of noradrenaline, 425
Nucleosides, CC on polystyrene resin using aqueous systems, 222
Nucleotides, adenine, quantitative separation by ion-exchange chromatography on diethylaminoethyl Sephadex, 308
——, CC on polystyrene resin using aqueous systems, 222
——, micro-method for the determination of the nucleotide composition of DNA, 563
——, resolution of RNA hydrolysis products by two-dimensional anion-exchange TLC, 560
Nylon 6 and 66, gel permeation chromatography of the cyclic monomers and oligomers in, 230
Octapamine, solvent extraction and PC of urinary phenolic amines, 349
Oligosaccharides, TLC analysis of enzymic hydrolysates of agar, 482
——, in wort, beer and brewing syrups, quantitative chromatography, 462
Organic compounds, GC of fluorinated compounds on porous polymers, 36
Pesticides, electron-capture GC method for the determination of some carbamate insecticides as 2,4-dinitrophenyl derivatives of their phenol moieties, 215
——, a modified enzymatic detection method for thin-layer chromatograms, 325
——, novel GLC determinations of Picloram, 432
——, separation and determination of carbamate and urea herbicides by reaction GC, 205
——, TLC separation and detection methods for carbamate and urea herbicides, 329
Pharmaceuticals, characterisation and GC determination of active principles of biological interest in gastric mucoprotein and thioctic acid, 46
——, some aspects of TLC and its application, 130
——, the use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of bithionol, fenticlor, chlorophenes, and 4-hexylresorcinol, 567
Phenolic amines, urinary, solvent extraction and PC, 349
Phospholipids, serum, one-dimensional TLC separation, 552
——, TLC separation of animal lipid mixtures, 255
——, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, 488
Phthalic esters, used as stationary phases in GLC, study of the polarity of, 175
Picloram, novel GLC determinations, 432
Piperidine, rapid identification of low molecular weight compounds in extracts of biological material, 402
Pollutants, determination of polynuclear hydrocarbons in atmospheric dust by a combination of TLC and GC, 66

——, quantitative determination of 3,4-benzopyrene in the air, 334
Polyamides, gel permeation chromatography of the cyclic monomers and oligomers in nylon 6 and nylon 66, 230
Protein–carbohydrate complexes, of an enzymic and immunological nature, a method for resolution and characterisation, 503
Proteins, characterisation and GC determination of active principles of biological interest in pharmaceutical products (gastric mucoprotein and thioctic acid), 46
——, thin-layer gel filtration of modified proteins on 4% fine pearl-condensed agar, 545
——, the use of PVC membrane filters as specific chromatographic carriers for rapid ultra-micro-analysis, 550
Pyrenes, quantitative determination of 3,4-benzopyrene in the air, 334
Pyrimidine nucleosides, column chromatography on polystyrene resin using aqueous systems, 222
Quinoline, ternary mobile phases in adsorption TLC, 313
Rare earths, separation of lanthanides by chromatography on ion-exchange paper in α-hydroxyisobutyrate medium, 269
——, separation of transuranium elements by GC of their chlorides, 290
Resins, properties of and use in chromatography, 40
Ribose, quantitative TLC in the presence of other sugars, 469
RNA hydrolysis products, resolution by two-dimensional anion-exchange TLC, 560
Sephadex gels, behaviour in dioxane–water mixtures, 448
Silanes, redistribution reactions of some sterically hindered tetraalkylsilanes, 187
Silazanes, redistribution reactions of tris(N-alkyl)hexamethylcyclotrisilazanes, 180
Solid injection, in gas chromatography, 293
——, preparation of volatile derivatives of amino acids on a solid support followed by direct injection into the GC column, 298
Stationary phases, used in GLC, study of the polarity of, 175
Steroids, chromatographic resolution of the epimeric 24-hydroxycholesterols, 555
——, some aspects of TLC and of its application in pharmacognosy, 49 (1970) 130
——, TLC of the chromogens from the ALLEN reaction, 558
Sugars, see Carbohydrates
Sulphonamides, TLC and UV spectrophotometry of mixtures of, 493
Testosterone, TLC of the chromogens from the ALLEN reaction, 558
Tetraalkylsilanes, sterically hindered, redistribution reactions, 187
Tetrachlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, 567
Thin-layer chromatography, adsorption, ternary mobile phases in, 313
Thioctic acid, characterisation and GC determination of active principles of biological interest in pharmaceutical products, 46
Toluenes, use of high resolution partition capillary columns 18
Trypanosoma brucei subgroup antigens, isoelectric focusing in polyacrylamide gel thin layers, 503
Tryptamine, solvent extraction and PC of urinary phenolic amines, 349
TSWETT, the life of, 2
Tyramines, solvent extraction and PC of urinary phenolic amines, 349
Urea herbicides, separation and determination by reaction GC, 205
——, TLC separation and detection methods, 329
Xylose, quantitative TLC in the presence of other sugars, 469

U·M·I

DUE TO TIGHT BINDING, SOME PAGES DID NOT PHOTOGRAPH WELL, RESULTING IN PRINT MISSING. THIS REPRODUCTION IS MADE FROM THE BEST COPY AVAILABLE.